

Safe-Rain series/ Serie Safe-Rain

Safe-Rain **floating fountains** have been specifically designed for **decorating swimming pools, ponds and lakes** providing a perfect complement to decorate these architectural landscapes. Easy to install, these kits incorporate a pump between **0.75 hp. - 1.34 hp.** and with the addition of different nozzles can achieve different water features.

Las **fuentes flotantes** de SafeRain han sido expresamente diseñadas **para la decoración de piscinas, estanques y lagos** aportando un complemento idóneo para la decoración de estos paisajes arquitectónicos. Fácilmente instalables, estos kits incorporan una bomba de entre **0,75 hp. - 1,34 hp.** y gracias a la incorporación de diferentes boquillas podemos conseguir diferentes juegos de agua.



Floating f.
F. flotantes

PRODUCT FEATURES/ CARACTERÍSTICAS DEL PRODUCTO



- **Easy to install.** These kits incorporate everything needed for proper operation.
- As easy as **plug and play**, and starts up.
- Depending on the model is provided with a **vertical pump with 0.75 hp. or horizontal with 1.34 hp.**
- Only **one person is needed to complete installation.**
- They can be installed in **pools and ponds with a minimum depth of 60 cm.**
- **Optionally**, can be provided with 2-4-6-8 PAR-56 lights or 2-4-6-8 LED RGB Lake lights.
- **Optionally**, we provide the protection and control panel.

- **Fácilmente instalable.** Estos kits incorporan todo lo necesario para su correcto funcionamiento.
- Fácil instalación, **basta con enchufar** y funciona.
- Según modelo se proporciona con **bomba vertical de 0,75 hp. u horizontal de 1,34 hp.**
- Se requiere sólo **una persona para completar la instalación.**
- Se pueden instalar en **piscinas y estanques con una profundidad mínima de 60 cm.**
- **Opcionalmente**, lo proporcionamos con 2-4-6-8 focos PAR-56 o con 2-4-6-8 Focos Lake RGB.
- **Opcionalmente**, proporcionamos el cuadro de control y protección.

Safe-Rain series floating fountains/ Fuentes flotantes serie Safe-Rain

VOLGA/ VOLGA									
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
	Motor		Voltage		Height A	Diameter	Flow		
	W	hp	V/ Hz		m	m	l.p.m	m³/h	
F4500009	560	0,75	230/ 50	F6357104	3,00	5,00	330	19,8	
F4501203			120/ 60	F6357205					
F4502002	1000	1,34	230/ 50	F6357104	4,25	6,00	390	23,4	
F4503003			120/ 60	F6357205					





CALIX/ CÁLIZ									
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
	Motor		Voltage		Height A	Diameter	Flow		
	W	hp					V/ Hz	m	
F4500011	560	0,75	230/ 50	F6357104	1,50	6,00	430	25,8	
F4501012			120/ 60	F6357205					
F4502013	1000	1,34	230/ 50	F6357104	2,00	7,50	540	32,4	
F4503014			120/ 60	F6357205					



ARUM LILY/ CALA									
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
	Motor		Voltage		Height A	Height B	Diameter	Flow	
	W	hp	V/ Hz		m	m	l.p.m	m³/h	
F4502024	1000	1,34	230/ 50	F6357104	2,50	0,75	5,00	661	39,7
F4503025			120/ 60	F6357205					



DANUBE/ DANUBIO									
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
	Motor		Voltage		Height A	Height B	Diameter	Flow	
	W	hp	V/ Hz		m	m	l.p.m	m³/h	
F4500033	560	0,75	230/ 50	F6357104	2,75	1,50	3,00	260	15,6
F4501034			120/ 60	F6357205					
F4502035	1000	1,34	230/ 50	F6357104	4,75	2,25	4,60	313	18,8
F4503036			120/ 60	F6357205					



MISSISSIPI/ MISISIPI									
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
	Motor		Voltage		Height A	Height B	Diameter	Flow	
	W	hp	V/ Hz		m	m	l.p.m	m³/h	
F4500044	560	0,75	230/ 50	F6357104	2,50	1,00	5,20	315	18,9
F4501045			120/ 60	F6357205					
F4502046	1000	1,34	230/ 50	F6357104	3,75	1,50	6,40	404	24,2
F4503047			120/ 60	F6357205					



	WILLOW/ SAUCE								
	Reference/ Referencia	Pump/ Electrobomba		Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
		Motor	Voltage		Height A	Diameter	Flow		
		W	hp		V/ Hz	m	m	l.p.m	
	F4500112	560	0,75	230/ 50	F6357104	2,50	3,30	275	16,5
F4501113	120/ 60			F6357205					
F4502114	1000	1,34	230/ 50	F6357104	3,50	4,00	325	19,0	
F4503115			120/ 60	F6357205					



WILLOW - PALM TREE/ SAUCE - PALMERA											
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación		
	Motor		Voltage		Height A	Height B	Diameter	Flow			
	W	hp	V/ Hz		m		m	l.p.m		m³/h	
F4202125	1000	1,34	230/ 50	F6357104	3,00	1,25	4,5	360	21,6		
F4202136			120/ 60	F6357205							

	PALM TREE/ PALMERA									
	Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration mod- ule/ Módulo de aireación
		Motor		Voltage		Height A	Diameter	Flow		
		W	hp	V/ Hz				l.p.m	m³/h	
F4500055	560	0,75	230/ 50	F6357104	2,50	3,60	285	17,1		
F4501056			120/ 60	F6357205						
F4502057	1000	1,34	230/ 50	F6357104	3,50	5,00	400	24		
F4503058			120/ 60	F6357205						

THAMES/ TÁMESIS												
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento						Aeration module/ Módulo de aireación	
	Motor		Voltage V/ Hz		Height A	Height B	Height C	Diameter	Flow			
	W	hp							l.p.m	m³/h		
F4500077	560	0,75	230/ 50	F6357104	2,75	1,50	0,75	3,40	278	16,7		
F4501078			120/ 60	F6357205								
F4502079	1000	1,34	230/ 50	F6357104	4,00	2,00	1,00	5,40	329	19,7		
F4503071			120/ 60	F6357205								

	SEINE/ SENA										
	Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación	
		Motor		Voltage		Height A	Height B	Diameter	Flow		
		W	hp	V/ Hz		m		m	l.p.m		m³/h
F4500088	560	0,75	230/ 50	F6357104	3,25	1,25	5,20	227	13,6		
F4501089			120/ 60	F6357205							
F4502081	1000	1,34	230/ 50	F6357104	4,50	1,75	8,40	269	16,1		
F4503082			120/ 60	F6357205							


LANCE JET/ LANZA										
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación	
	Motor		Voltage		Height A	Diameter	Flow			
	W	hp	V/ Hz				m	m		
F4500099	560	0,75	230/ 50	F6357104	3,50	1,00	264	15,8		
F4501091			120/ 60	F6357205						
F4502092	1000	1,34	230/ 50	F6357104	4,75	1,30	300	18,0		
F4503093			120/ 60	F6357205						

	EUPHRATES/ EUFRATES									
	Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación
		Motor		Voltage		Height A	Diameter	Flow		
		W	hp	V/ Hz				l.p.m	m³/h	
								m	m	
	F4500101	560	0,75	230/ 50	F6357104	0,50	1,60	560	33,6	
F4501102	120/ 60			F6357205						


DANCING/ DANCING											
Reference/ Referencia	Pump/ Electrobomba			Control panel/ Cuadro eléctrico	Performance/ Rendimiento				Aeration module/ Módulo de aireación		
	Motor		Voltage		Height A	Height B	Diameter	Flow			
	W	hp	V/ Hz		m		m	l.p.m			m³/h
F4500066	560	0,75	230/ 50	F6357104	2,50	2,30	3,50	100	6,0		
F4501067			120/ 60	F6357205							

Floating f./
F. flotantes

Vertical pump
560 W. 0,75 hp.




Horizontal pump
1000 W. 1,34 hp.



Heights references:
A, B, C




Diameter:
D



FLOATING FOUNTAINS LIGHTING/ ILUMINACIÓN DE FUENTES FLOTANTES

Lighting/ Iluminación	Voltage V/Hz	Control panel/ Cuadro eléctrico	Lights type/ Tipo de focos	PAR 56 Lights number/ Nº de focos	LAKE Lights number/ Nº de focos	VOLGA	CALIX	ARUM LILY	DANUBE	MISSISSIPPI	PALM TREE	DANCING	THAMES	SEINE	LANCE JET	EUPHRATES	WILLOW
LED	230/ 50	F6357115	RGB	8	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
				4	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
			White	8	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
				4	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	120/ 60	F6357216	RGB	8	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
				4	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
			White	8	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
				4	-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	230/ 50	F6357148	RGB	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		F6357159	White	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Incandescent	230/ 50	F6357135	RGB	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
			White	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	120/ 60	F6357249	RGB	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
		F6357251	White	-	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

✓ Optimal/ Óptimo ✓ Recommended/ Aconsejable ✗ Not Recommended/ No recomendable ✗ Not available/ No disponible



* Floating fountain with aeration max 6 spotlights/ Fuente flotante con aireación máximo 6 focos.

F4501001 Spotlights support for Safe-Rains floating fountains/ Soporte para focos de Fuente Flotante Safe-Rain

CONTROL PANEL/ PANEL DE CONTROL



Safe-Rains floating fountains Control Panel/ Panel de Control de Fuentes Flotantes Safe-Rain