PROFESSIONAL SAFERAIN SERIES


The **professional SAFE RAIN series** of floating fountains take a step forward in the concept of easy installation complete floating fountain.

We have developed strong systems, reliable and versatile, prepared to achieve dynamism and that can be easily converted into spectacular dynamic fountains



PRODUCT FEATURES

- Compact floating fountains ideal **for lakes and ponds.**
- Optimal solution for the best performance point of SAFERAIN nozzles.
- 15 different water spray patterns available.
- High performance **stainless steel pumps** with stable flow.
- 2,5mm stainless steel prefilter.
- **Simplicity and robustness** in design that ease installation and prevent maintenance problems.
- Single-phase and three-phase motors available between 0,75 and 2HP.
- Optional integration with **Smart Fountain Manager**, allowing to incorporate dynamism to the fountain.
- **Possibility of integrating the appropriate Lighting** for each combination.




PROFESSIONAL SAFERAIN SERIES

DANUBE							
REFERENCE	WATER PUMP			PERFORMANCE ***			
	POWER		VOLTAGE	HEIGHT		DIAM. Ø	
	W	HP	V/Hz	A (m)	B (m)	(m)	
F4421035	550	0,75	230/ 50	5,50	2,65	5,75	
F4422036			3 X 400/ 50				
F4423037			*V/ 60 Hz				
F4424038			3X**V / 60 Hz				
F4431036	750	1,00	230/ 50	5,75	2,75	6,00	
F4432037			3 X 400/ 50				
F4433038			*V/ 60 Hz				
F4434039			3X**V / 60 Hz				
F4451038	1100	1,50	230/ 50	6,00	4,00	6,20	
F4452039			3 X 400/ 50				
F4453031			*V/ 60 Hz				
F4454032			3X**V / 60 Hz				



MISSISSIPI							
REFERENCE	WATER PUMP			PERFORMANCE ***			
	POWER		VOLTAGE	HEIGHT		DIAM. Ø	
	W	HP	V/Hz	A (m)	B (m)	(m)	
F4421046	550	0,75	230/ 50	2,75	1,10	6,00	
F4422047			3 x 400/ 50				
F4423048			*V/ 60 Hz				
F4424049			3x**V / 60 Hz				
F4431047	750	1,00	230/ 50	3,00	1,20	6,50	
F4432048			3 x 400/ 50				
F4433049			*V/ 60 Hz				
F4434041			3x**V / 60 Hz				
F4451049	1100	1,50	230/ 50	3,50	1,50	7,00	
F4452041			3 x 400/ 50				
F4453042			*V/ 60 Hz				
F4454043			3x**V / 60 Hz				



*V/ 60 Hz Single phase voltages available 110V, 120V and 220V, to be selected when ordering.
3x**V / 60 Hz Three phase voltages available 3x220V, 3x380V, 3x440V to select when ordering.
***Go to the diagram at the end of the section

VOLGA					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4421002	550	0,75	230/ 50	3,50	6,00
F4422003			3 X 400/ 50		
F4423004			*V/ 60 Hz		
F4424005			3X**V / 60 Hz		
F4431003	750	1,00	230/ 50	4,25	7,00
F4432004			3 X 400/ 50		
F4433005			*V/ 60 Hz		
F4434006			3X**V / 60 Hz		



PALM TREE JET					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4421057	550	0,75	230/ 50	3,00	5,00
F4422058			3 X 400/ 50		
F4423059			*V/ 60 Hz		
F4424051			3X**V / 60 Hz		
F4431058	750	1,00	230/ 50	3,25	5,50
F4432059			3 X 400/ 50		
F4433051			*V/ 60 Hz		
F4434052			3X**V / 60 Hz		
F4451051	1100	1,50	230/ 50	4,00	6,00
F4452052			3 X 400/ 50		
F4453053			*V/ 60 Hz		
F4454054			3X**V / 60 Hz		



PROFESSIONAL SAFERAIN SERIES

THAMES								
REFERENCE	WATER PUMP			PERFORMANCE ***				
	POWER		VOLTAGE	HEIGHT			DIAM. Ø	
	W	HP	V/Hz	A (m)	(m)	C (m)	(m)	
F4421079	550	0,75	230/ 50	4,50	2,20	1,00	6,00	
F4422071			3 X 400/ 50					
F4423072			*V/ 60 Hz					
F4424073			3X**V / 60 Hz					
F4431071	750	1,00	230/ 50	4,75	2,30	1,20	7,50	
F4432072			3 X 400/ 50					
F4433073			*V/ 60 Hz					
F4434074			3X**V / 60 Hz					
F4451073	1100	1,50	230/ 50	6,00	2,20	1,50	7,50	
F4452074			3 X 400/ 50					
F4453075			*V/ 60 Hz					
F4454076			3X**V / 60 Hz					



WILLOW					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4421114	550	0,75	230/ 50	6,00	7,00
F4422115			3 X 400/ 50		
F4423116			*V/ 60 Hz		
F4424117			3X**V / 60 Hz		
F4431115	750	1,00	230/ 50	3,25	5,00
F4432116			3 X 400/ 50		
F4433117			*V/ 60 Hz		
F4434118			3X**V / 60 Hz		
F4451117	1100	1,50	230/ 50	4,50	6,00
F4452118			3 X 400/ 50		
F4453119			*V/ 60 Hz		
F4454111			3X**V / 60 Hz		



SIENE						
REFERENCE	WATER PUMP			PERFORMANCE ***		
	POWER		VOLTAGE	HEIGHT		DIAM. Ø
	W	HP	V/Hz	A (m)	B (m)	
F4421081	550	0,75	230/ 50	4,75	1,85	11,00
F4422082			3 X 400/ 50			
F4423083			*V/ 60 Hz			
F4424084			3X**V / 60 Hz			
F4431082	750	1,00	230/ 50	5,00	2,00	13,00
F4432083			3 X 400/ 50			
F4433084			*V/ 60 Hz			
F4434085			3X**V / 60 Hz			
F4451084	1100	1,50	230/ 50	5,50	2,50	13,00
F4452085			3 X 400/ 50			
F4453086			*V/ 60 Hz			
F4454087			3X**V / 60 Hz			



CALIX					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4421013	550	0,75	230/ 50	1,10	3,50
F4422014			3 X 400/ 50		
F4423015			*V/ 60 Hz		
F4424016			3X**V / 60 Hz		
F4431014	750	1,00	230/ 50	1,50	6,00
F4432015			3 X 400/ 50		
F4433016			*V/ 60 Hz		
F4434017			3X**V / 60 Hz		



*V/ 60 Hz Single phase voltages available 110V, 120V and 220V, to be selected when ordering.
3x**V / 60 Hz Three phase voltages available 3x220V, 3x380V, 3x440V to select when ordering.
***Go to the diagram at the end of the section

PROFESSIONAL SAFERAIN SERIES

ARUM LILY						
REFERENCE	WATER PUMP			PERFORMANCE ***		
	POWER		VOLTAGE	HEIGHT		DIAM. Ø
	W	HP	V/Hz	A (M)	B (m)	(m)
F4421024	550	0,75	230/ 50	2,00	0,50	4,00
F4422025			3 X 400/ 50			
F4423026			*V/ 60 Hz			
F4424027			3X**V / 60 Hz			
F4431025	750	1,00	230/ 50	2,75	0,75	6,00
F4432026			3 X 400/ 50			
F4433027			*V/ 60 Hz			
F4434028			3X**V / 60 Hz			



LANCE JET					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4431093	750	1,00	230/ 50	6,00	2,00
F4432094			3 X 400/ 50		
F4433095			*V/ 60 Hz		
F4434096			3X**V / 60 Hz		
F4451095	1100	1,50	230/ 50	6,75	2,00
F4452096			3 X 400/ 50		
F4453097			*V/ 60 Hz		
F4454098			3X**V / 60 Hz		



WILLOW - PALM TREE						
REFERENCE	WATER PUMP			PERFORMANCE ***		
	POWER		VOLTAGE	HEIGHT		DIAM. Ø
	W	HP	V/Hz	A (m)	B (m)	(m)
F4451128	1100	1,50	230/ 50	2,70	1,50	5,50
F4452129			3 X 400/ 50			
F4453121			*V/ 60 Hz			
F4454122			3X**V / 60 Hz			



SPECIAL CROWN							
REFERENCE	WATER PUMP			PERFORMANCE ***			
	POWER		VOLTAGE	HEIGHT			DIAM. Ø
	W	HP	V/Hz	A (m)	B (m)	C (m)	(m)
F4451141	1100	1,50	230/ 50	4,50	2,00	1,25	5,50
F4452142			3 X 400/ 50				
F4453143			*V/ 60 Hz				
F4454144			3X**V / 60 Hz				



*V/ 60 Hz Single phase voltages available 110V, 120V and 220V, to be selected when ordering.
3x**V / 60 Hz Three phase voltages available 3x220V, 3x380V, 3x440V to select when ordering.
***Go to the diagram at the end of the section

PROFESSIONAL SAFERAIN SERIES

LARGE FAN OF JETS					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4421158	550	0,75	230/ 50	4,00	9,00
F4422159			3 x 400/ 50		
F4423151			*V/ 60 Hz		
F4424152			3x**V / 60 Hz		
F4461153	1500	2,00	230/ 50	5,25	16,00
F4462154			3 x 400/ 50		
F4463155			*V/ 60 Hz		
F4464156			3x**V / 60 Hz		




*V/ 60 Hz Single phase voltages available 110V, 120V and 220V, to be selected when ordering.
3x**V / 60 Hz Three phase voltages available 3x220V, 3x380V, 3x440V to select when ordering.
***Go to the diagram at the end of the section

DOUBLE BIG FAN ROTARY JETS					
REFERENCE	WATER PUMP			PERFORMANCE ***	
	POWER		VOLTAGE	HEIGHT	DIAM. Ø
	W	HP	V/Hz	A (m)	(m)
F4461131	550W	0,75	230/ 50	4,50	9,00
F4462132			3 x 400/ 50		
F4463133			*V/ 60 Hz		
F4464134			3x**V / 60 Hz		




*V/ 60 Hz Single phase voltages available 110V, 120V and 220V, to be selected when ordering.
3x**V / 60 Hz Three phase voltages available 3x220V, 3x380V, 3x440V to select when ordering.
***Go to the diagram at the end of the section


LIGHTING



Fountain
Floating light fixture with 2 spotlights



Floating fountain with 4 spotlights



Floating fountain with 8 lights

F4501001 Mount for SafeRain Floating Fountain Spotlights




LED Lake




PAR 56



DIMENSIONS



550W	*557mm
750W	*569mm
1100W	*594mm
1500W	*614mm



CONTROL PANEL

Request the suitable control panel for your Professional Floating Fountain



REFERENCE	VOLTAGE	LIGHTING	VFD
F63560XX	230V / 50Hz *V/ 60Hz	✓	✗
F63561XX	3 x 400/ 50Hz 3x**V/ 60 Hz	✓	✓